

DALE Classic 45



Dale Nelson, Brunel Quay, Neyland, Milford Haven, Pembrokeshire, SA73 1PY U.K.
 Contact Mike Reynolds direct: 07879 481717 Tel: 01646 603112 Fax: 01646 601061
 Email: info@dalenelson.co.uk Website: www.dalenelson.co.uk

Dale Classic 45	Price
Dale Classic 45 Aft Cockpit built to standard specification with cockpit and vertical walkthrough transom door (stainless steel frame with clear panel)	inc
ENGINE MODEL	
Yanmar - 2 x 480hp	inc
Drawings for servicing boat	inc
Boat to be CE marked and supplied with a Declaration of Conformity to Directive 94/25/CE	inc
HULL AND SUPERSTRUCTURE	
Vinylester to hull moulding	inc
Hull - Topside gelcoat colour - Blue	inc
Superstructure gelcoat colour - White	inc
Stainless steel rubbing strip fitted in fender section	inc
Sprayrail - moulded into hull	inc
Teak toerail capping	inc
Flexiteek to side and foredecks, cockpit sole, cockpit steps and cockpit locker tops	inc
EXTERIOR STAINLESS STEEL & EQUIPMENT	
Pulpit - extended to in way of aft end of wheelhouse - 25mm solid top rail with mid wire rail - upright rails angled forward	inc
Exterior stainless steel, oval grabrail to aft end of wheelhouse wings with green tinted glass panel	inc
Mast - Scanstrut - type SPT1001 power tower c/w Scanstrut SC118 nav light gantry	inc
Stainless steel bow roller - double	inc
One pair of mooring cleats to fore deck - stainless steel - oval bar type - 300mm	inc
Two pairs of mooring cleats to amidships - stainless steel - oval bar type - 300mm	inc
One pair of mooring cleats to aft deck - type stainless steel bollard type	inc
Two fairleads to bow	inc
Chafing plates fitted to toerail in way of side deck and aft deck cleats	inc
Boarding platform - moulded with Flexiteek and stainless steel swim ladder	inc
EXTERIOR FIT OUT	
Electric anchor windlass - vertical axis with chain pipe. Chain stowage in locker beneath deck	inc
Electric anchor windlass - set of foot controls on foredeck	inc
Anchor - 30 kg Stainless steel Claw c/w 50m calibrated 9.8mm galvanised chain	inc
HATCHES	
Five square hatches to forward coachroof	inc
Blind fitted to forward cabin deck hatch (recessed type)	inc
Blind fitted to guest cabin deck hatch (recessed type)	inc
PORTLIGHTS	
Portlights - stainless steel trim	inc
Wheelhouse windows (alloy frames white finish) - forward side windows slide opening - aft side windows fixed (green tinted glass)	inc
Wheelhouse windows (alloy frames white finish) - front windows fixed, heated (green tinted glass)	inc
Ventilators to each cabin / toilet	inc
Ventilators to aft peak	inc
Chain locker with overboard drain and accessed through hatch in forward cabin	inc
FORWARD CABIN	
Forward cabin - double berth - 5'6", with stowage lockers beneath and drawers to base of berth	inc
Forward cabin - steps around side of berth	inc

Dale Classic 45	Price
Forward cabin - upper outboard side lockers with mid height shelves	inc
Forward cabin - cave locker aft of outboard lockers on port side	inc
Forward cabin - lower side lockers/dressing table	inc
Forward cabin - seat to portside	inc
Forward cabin - hanging locker c/w hanging rail	inc
Forward cabin - access door from galley	inc
Forward cabin - access to forward heads (curved door)	inc
Forward cabin - chain locker bulkhead with laminate finish	inc
FORWARD HEADS	
Forward heads - moulded GRP (Ral 9010 white) and laminate finish	inc
Forward heads - shower tray	inc
Forward heads - teak grating to shower tray	inc
Forward heads - Mixer tap	inc
Forward heads - separate bulkhead mounted shower	inc
Forward heads - shower enclosure	inc
Forward heads - stowage lockers	inc
Forward heads - dry roll holder for toilet roll	inc
Forward heads - stainless steel towel rail;chrome toothbrush holder; coat hooks	inc
Forward heads - soap holder - ring type for soap bottle	inc
FORWARD GUEST HEADS	
Forward guest heads - moulded GRP (Ral 9010 white) and laminate finish	inc
Forward guest heads - shower tray	inc
Forward heads - teak grating to shower tray	inc
Forward guest heads - Mixer tap	inc
Forward guest heads - separate bulkhead mounted shower	inc
Forward guest heads - stowage lockers	inc
Forward guest heads - dry roll holder for toilet roll	inc
Forward guest heads - stainless steel towel rail;chrome toothbrush holder; coat hooks	inc
Forward guest heads - shower curtain	inc
GALLEY	
Corian galley top	inc
Corian moulded sink fitted to galley top with lift out lid	inc
Mixer tap	inc
Top entry locker in galley top with hinge up lid (locker for general purpose, not bin)	inc
Fiddle rail to galley top - Timber	inc
Galley lower unit with lockers and drawers	inc
Galley upper outboard lockers - open fronted stowage racks (excludes crockery)	inc
Fridge to galley lower unit	inc
Hob (two plate) - electric	inc
Hob fiddle rail	inc
Oven - electric	inc
GUEST CABIN	
Guest cabin - single berth with stowage locker beneath on outboard side of guest cabin	inc
Guest cabin - single berth with stowage locker beneath on inboard side of guest cabin	inc
Guest cabin - hanging locker c/w hanging rail	inc
Guest cabin - stowage lockers	inc
Guest cabin - access door from galley	inc
WHEELHOUSE / SALOON	
Helm seat base - drinks locker in inboard end with drawers to forward face	inc
U' shape seating to port side with fixed height table and lockers beneath seating	inc
Timber footrest fitted to helm position base unit	inc
Timber footrest fitted to helm position console panel	inc
Timber footrest fitted to pilot position base unit	inc
Seating to starboard side with locker beneath	inc
Locker to aft starboard side of wheelhouse	inc

Dale Classic 45	Price
Pilot seat base with locker beneath and mid height shelf	inc
Helm seat complete with sliders and arm rests	inc
Pilot seat (next to helm seat) with sliders and arm rests	inc
Pilot seat with sliders and arm rests	inc
Steps with hinge up hardwood timber treads to galley with stowage beneath	inc
Hand rail to galley with kickboard	inc
Wheelhouse saloon door to cockpit area	inc
Windows (fixed) to wheelhouse aft bulkhead - electrically operated drop down bulkhead to port side	inc
Timber footrest fitted to aft face of galley handrail in front of pilot seat	inc
Chart table - removable	inc
Stowage for removable chart table and for charts	inc
Interior helm position to portside in wheelhouse with access doors to fuses, course computer and DC distribution panel	inc
Access hatch to engine room	inc
Hardwood timber and veneer - coated with two pack polyurethane - semi-gloss finish	inc
PAINTING - EXTERIOR	
Epoxy primer coating to bottom prior to antifouling	inc
Boot topping / antifoul - International MPX	inc
Antifouling two coats - International interspeed ultra - colour - black	inc
Signwriting 'Dale Classic 45' onto wheelhouse sides	inc
Labelling throughout boat	inc
INTERIOR & EXTERIOR FINISH/UPHOLSTERY/COVERS	
Interior fittings and hardware - chrome finish	inc
Interior timber - American Cherry	inc
White laminate bulkheads and side panels throughout	inc
Locker doors with straight heads and timber centre panel	inc
Grab handles (timber) as follows:-	inc
- wheelhouse saloon console vertical area to starboard of steps - 1 off single	inc
- wheelhouse / saloon overhead - 2 off double	inc
- portside of galley steps - 1 off single	inc
- galley forward bulkhead - 1 off single	inc
Upholstered forward cabin double berth mattress	inc
Upholstered forward cabin seat	inc
Upholstered twin berth mattresses to guest cabin	inc
Upholstered side lining panel in guest cabin	inc
Leather upholstered wheelhouse portside 'U' shape seating and backrests	inc
Leather upholstered wheelhouse starboard side bench and backrest	inc
Soft linings to overhead panels with timber trims	inc
Blinds fitted to wheelhouse side windows with pelmets	inc
Blinds fitted to cabin portlights with pelmets	inc
Floor coverings - carpet with underlay fitted to master cabin	inc
Floor coverings - carpet with underlay fitted to guest cabin	inc
Floor coverings - carpet with underlay fitted to galley	inc
Floor coverings - carpet with underlay fitted to wheelhouse	inc
Leather upholstered interior helm console	inc
Upholstered helm seat in leather	inc
Upholstered pilot seat (next to helm seat) in leather	inc
Upholstered pilot seat in leather	inc
Twin engines as specified	inc
Secondary cooled with flexible fire resistant water intake hose	inc
Flexibly mounted engines	inc
STERNGEAR	
Propellers - four bladed hyperform	inc
Shafts - Aqualoy 30	inc
Stern tube seal - type Sure seal fitted to stern tube with flexible hose	inc

Dale Classic 45	Price
Stern glands cooled from engine cooling system	inc
P' brackets bonded into hull	inc
Rudders with GRP rudder tubes and shelves	inc
Hydraulic steering system	inc
Steering position at interior helm	inc
Emergency tiller - type stainless steel	inc
Greasers fitted to rudder tubes	inc
Steering wheel - stainless steel covered in leather	inc
ENGINE ROOM VENTILATION	
Engine room ventilation - naturally aspirated	inc
Engine room extraction fans - two off	inc
High quality sound proofing to engine room	inc
EXHAUST SYSTEM	
Flexible hose wet exhaust system	inc
Main engine exhaust mufflers	inc
ENGINE CONTROLS	
Single station electronic controls	inc
FUEL CAPACITY & FUEL SYSTEM	
Approximately 500 gallons carried in two centreline tanks	inc
Fuel supply and return system - approved, flexible piping	inc
Tanks vented at each end - approved, flexible piping	inc
Separ (single) type primary fuel filter system	inc
Tank fillers approx 2"(50mm) diameter with splashback sumps	inc
Tank filler pipes - approved, flexible, with stainless steel clips	inc
Fuel / water / waste tank gauge - type Tank Tender - gauge at inner helm	inc
ENGINE SEA WATER COOLING SYSTEM	
Engine cooling system fitted with sea water strainers near inlet	inc
FRESHWATER CAPACITY, SYSTEM & EQUIPMENT	
Tank fitted under cockpit	inc
Tank filler approx 1.5"(38mm) diameter	inc
Non toxic piping	inc
Fresh water pump	inc
Aquafilter filter unit	inc
Hot freshwater tank - 65 litres approx.	inc
Pressurised hot and cold water	inc
Electric bilge pumps with reinforced PVC piping as follows:-	inc
Forward accommodation - 1 off - type - submersible with automatic switch	inc
Engine room - 3 off - type - submersible with automatic switches	inc
Cockpit - 2 off - type - submersible with automatic switch	inc
Manual bilge pumps (with PVC piping) as follows:-	inc
Engine room (forward) - 1 off with two suctions from central bilge	inc
ENGINE ROOM FIT OUT	
Engine room finished in white bilge paint	inc
Engine room and aft peak - sole finished with Pirelli matting	inc
Access step to engine room	inc
HEATING / AIR CONDITIONING	
Diesel cabin heater - type Ebberspacher D5L (c/w air intake silencer and air outlets to heads) - 6 outlets	inc
WASTE AND DISCHARGE SYSTEM	
Black water waste holding tank connected to forward toilet	inc
Black water waste holding tank connected to guest cabin toilet	inc
Underwater discharge from black water waste holding tank by means of macerator pump and deck outlet to shore facility	inc
Black water waste tank vented directly overboard	inc
Electric toilet to forward heads - type Tecma	inc
Electric toilet to guest cabin heads - type Tecma	inc

Dale Classic 45	Price
Forward heads and guest cabin heads shower drainage to grey waste tank with discharge overboard	inc
Galley sink drain - direct overboard	inc
Fwd heads sink drain - direct overboard	inc
Guest heads sink drain - direct overboard	inc
Odour free hose	inc
DIESEL GENERATOR	
Generator - 3.5 KVA	inc
12 volt electric battery - 1 off generator battery type sealed lead acid	inc
12 volt electric battery - manual battery isolator located on generator battery box	inc
DC ELECTRICS	
Engine alternators - one per engine	inc
24 volt electrics - 2 off engine battery capacity @ 105a/hr each - type - sealed	inc
24 volt electrics - 4 off domestic battery capacity @ 115a/hr each - type - sealed, fitted in vented battery box	inc
Domestic and Engine battery isolator - fitted in enclosure at aft end of engine room with remote operated switches at interior helm	inc
Engine / domestic battery link switch	inc
Distribution board located in locker on helm panel bulkhead	inc
Forward cabin - 4 off	inc
Forward heads - 2 off with integral switch	inc
Guest heads - 1 off with integral switch	inc
Guest cabin - 4 - off	inc
Galley - 3 off	inc
Wheelhouse - 5 off	inc
Engine room overhead lights - 4 off	inc
Aft peak overhead lights - 4 off	inc
Forward cabin - 2 off on bulkhead	inc
Guest cabin - 2 off	inc
Wheelhouse chart light - 1 off	inc
Port and starboard lights fitted to wheelhouse sides - type Aquasignal series 41	inc
Steaming and stern light fitted to mast type Aquasignal series 41	inc
Anchor light fitted to mast type Aquasignal series 40	inc
AC ELECTRICS	
AC distribution system including 70A battery charger & shore power (shore power lead, earth leakage protection and connection to hot water tank immersion heater)	inc
AC shore inlet in cockpit - includes lead	inc
240 volt plug points (forward cabin 1 off double; galley 1 off double; guest cabin 1 off double; wheelhouse 1 off double)	inc
Sacrificial anode system	inc
Galvanic isolator fitted to shore power supply	inc
Interior helm instrument panels with gauges as supplied by engine manufacturer and electronic equipment as specified	inc
Engine alarms as supplied by manufacturer	inc
Console facia panels - carbon fibre effect	inc
CD/RADIO, TELEVISION & TELEPHONES, ELECTRONICS & NAVIGATION AIDS	
Three windscreen wipers - type pantograph	inc
Windscreen washers with intermittent wipe to all forward screens (pressurised & supplied from main freshwater system)	inc
Air horn	inc
Magnetic compass at interior helm (type Ritchie Trek)	inc
Raymarine 240E VHF - single station at internal helm with DSC and speaker	inc
Tridata Raymarine ST 60 depth, speed, log system	inc
Radar / Chartplotter - Raymarine colour display at internal helm c/w 4KW (18") Digital radome and Raystar GPS beacon	inc
Autopilot - Raymarine	inc
COCKPIT FIT OUT	
Cockpit - aft peak beneath cockpit finished with white bilge paint	inc

Dale Classic 45	Price
Cockpit - aft corner seating with lockers beneath	inc
Cockpit - fwd seating with locker beneath port side	inc
Cockpit - stowage lockers to sides	inc
Stowage compartment to cockpit sole	inc
Two access hatches to cockpit sole	inc
Steps to side decks	inc
Flexiteek to cockpit coaming	inc
Flagstaff - stainless steel - mounted on transom	inc
LIFESAVING / SAFETY / FIRE EXTINGUISHERS / MOORING / CRADLE / LIFTING EQUIPMENT	
Fire extinguishers - 4 off to accommodation area	inc
Fire extinguishers - 1 off to aft peak	inc
Fire blanket in galley	inc
Engine room automatic fire extinguisher	inc
Six fenders - 860mm x 250mm - colour blue - (2m approx. lanyard)	inc
Fenders - one off fender pad eye fitted to port and to starboard of side of cockpit coaming and two off wear plates to toerail in way of pad eyes	inc
One boat hook - timber (sectioned - unvarnished)	inc
Four mooring lines - 18mm diameter anchorbraid (2 off @ 12m; 2 off @ 6m)	inc
Two off rope lifting blocks for hull	inc
	Delivery: Ex Neyland after completion of sea trials.
	Insurance covered by builders until delivery.
	Standard Specification Price excluding vat
	Standard Specification Price including vat